

Mobil Antifreeze Advanced

Concentrated antifreeze formula.

Helps prevent winter freezing and summer overheating.

Organic Acid Technology (OAT) formula offers excellent protection for aluminum engines.

Five years' protection.

Exceeds BS6580-1992.



Dilution chart

Antifreeze	Water	Freeze protection
12%	88%	-5°C
25%	75%	-11°C
33%	67%	-18°C
50%	50%	-34°C

Contains Glystantin® Alu Protect Premium G30 from BASF which is approved by:

Audi above 8/96: TL 774-D

Mercedes-Benz: DBL 7700.30 page 325.3

Ford: WSS-M97B44-D

Seat above 8/96: TL 774-D

Skoda above 8/96: TL 774-D

Volkswagen above 8/96: TL 774-D (VW code 12+)

MAN: MAN 324-SNF

MTU: MTL 5048

Porsche: TL 774-D

Pack sizes: 1l, 5l, 20l & 208l



Mobil Antifreeze Extra

Concentrated antifreeze formula.

Helps prevent winter freezing and summer overheating.

Three years' protection.



Dilution chart

Antifreeze	Water	Freeze protection
12%	88%	-5°C
25%	75%	-11°C
33%	67%	-18°C
50%	50%	-34°C

Contains Glystantin® Protect Plus G48 from BASF which is approved by:

Audi: TL 774-C

BMW: BMW N 600 69.0

German Army: TL 6850-0038/1

KHD: H-LV 0161 0188

MAN: MAN 324-NF

Mercedes-Benz: DBL 7700.20 page 325.0

MTU: MTL 5048

Opel/General Motors: B 040 0240

Saab: 6901599

Seat: TL 774-C

Skoda: TL 774-C

Volkswagen: TL 774-C (VW code G11)

Pack sizes: 1l, 5l, 20l & 208l



Mobil Antifreeze

Concentrated antifreeze formula.

Contains Mono Ethylene Glycol.

Helps prevent winter freezing and summer overheating.

Meets exacting quality standard BS6580-1992.

Pack sizes: 1l, 5l, 20l & 208l



Dilution chart

Antifreeze	Water	Freeze protection
12%	88%	-5°C
25%	75%	-11°C
33%	67%	-18°C
50%	50%	-34°C



Mobil Coolant¹

Ready mixed coolant protects down to -36°C.

Contains Mono Ethylene Glycol.

Helps prevent winter freezing and summer overheating.

Meets exacting quality standard BS6580-1992.

Suitable for all engines – petrol and diesel – requiring a Mono Ethylene Glycol based antifreeze/coolant.

Blended from concentrated Mobil Antifreeze which meets BS6580-1992.

¹Available in the UK, Ireland, Benelux and France.

Pack sizes: 1l, 5l, 60l & 208l



Mobil Brake Fluid

Brake fluid for most cars.

Exceeds the requirement of DOT 4 – ideal for ABS systems.

Can be safely mixed with all DOT 4 and DOT 3 fluids.

Meets international standards DOT 4, DOT 3, SAE J1703, ISO4925 & FMVSS 116.

Pack sizes: 500ml, 1l, 5l & 208l



Mobil Screenwash Concentrate -65°C

The ultimate in screenwash.

Highly concentrated formula protects down to -65°C.

Suitable for the most severe winter conditions.

Helps to prevent windscreen washer freeze-up.

Added fragrance.

Use all year round to remove traffic film and insects.

Pack sizes: 260ml, 1l & 208l



Dilution chart

Screenwash	Water	Freeze protection
10%	90%	-2°C
25%	75%	-9°C
50%	50%	-25°C
100%	0%	-65°C



Mobil Brake Cleaner Aerosol & Mobil Brake Cleaner

Cleans and degreases drums, discs, linings, pads, cylinders and clutch assemblies.

Removes oil, grease, brake fluid and other contaminants.

Improves braking performance – helps stop disc squeal.

Note: Cover rubber and plastic components as solvent may affect them.

Pack sizes: 500ml aerosol (CFC free) & 5l



Mobil Engine Degreaser

Powerful solvent degreaser for cleaning engines.

Removes oil, grease and deposits from engines, chassis and components.

Heavy duty solvent formula with rust inhibitor.

Also ideal for removing tar spots from car paint work and oil from concrete floors (not tarmac).

Pack sizes: 5l & 20l



Mobil Spray Grease

Multi-purpose lubricant for chains, cables, linkages, hinges, locks, etc.

Offers high resistance to 'throw-off' and dripping.

Helps reduce friction and heat build-up.

Prevents corrosion and rust build-up.

Many uses throughout the workshop, industry and home.

Pack size: 500ml aerosol (CFC free)



Mobil Silicone Spray

Multipurpose non-staining silicone lubricant.

Helps eliminate squeaks, prevents sticking and wear.

May be used on door rubbers to prevent winter freezing.

Protects against corrosion.

Typical uses are: battery terminals, electrical parts, ignition wires, speedometer cables, window channels and trim, hinges and locks.

Pack size: 500ml aerosol (CFC free)



Mobil White Grease

White grease with added Teflon® is an all-weather, water and heat resistant Lithium Grease.

Its Teflon® based non-drip formula makes it ideal for the long term lubrication and protection of hinges, chains, bearings and all moving parts.

Non-drip formula.

Multi-purpose.

Pack size: 500ml aerosol (CFC free)



Mobil Penetrating Oil

Rapid action formula.

Penetrates and releases rusted nuts, bolts and mechanical parts i.e. springs, chains, cog-wheels, hinges and locks.

Graphite containing formula guards against future rusting and seizing.

Pack size: 500ml aerosol (CFC free)



Mobil HD Hand Cleaner

Heavy duty formulation is tough on ingrained dirt but gentle on skin.

Removes grease, grime and dirt fast and easy from hands.

Contains no harsh solvents – natural product with polychips.

Not tested on animals.

Pack sizes: 3l & 10l

